

cb Mar 7-13 1995.log

```
RCS file: /p/cvsroot/atlas/BOM,v
working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 7.0
keyword substitution: kv
total revisions: 1799;  selected revisions: 1
description:
-----
revision 2.85
date: 1995/03/07 21:34:22;  author: ong;  state: Exp;  lines: +2 -2
Release Target: atlas/ged/xv
```

All xv bodies now have size parameter specifications. xvdla is expected to change slightly.

=====

```
RCS file: /p/cvsroot/atlas/Makefile.defs,v
working file: atlas/Makefile.defs
head: 1.62
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.62
keyword substitution: kv
total revisions: 62;  selected revisions: 1
description:
-----
revision 1.10
date: 1995/03/08 19:07:58;  author: brianl;  state: Exp;  lines: +9 -433
Pruned severely.  Fault stuff back in as required.
```

=====

```
RCS file: /p/cvsroot/atlas/Makefile.rules,v
working file: atlas/Makefile.rules
head: 2.16
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.16
keyword substitution: kv
total revisions: 16;  selected revisions: 1
description:
-----
revision 2.5
date: 1995/03/08 19:08:00;  author: brianl;  state: Exp;  lines: +90 -1091
Pruned severely.  Fault stuff back in as required.
```

=====

```
RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v
working file: atlas/baseplate/chipparms.m4
head: 1.21
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.21
```

cb Mar 7-13 1995.log

keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 1.10
date: 1995/03/07 23:52:23; author: geert; state: Exp; lines: +16 -10
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas/baseplate/padring.awk,v
working file: atlas/baseplate/padring.awk
head: 1.12
branch:
locks: strict
access list:
symbolic names:

 b4_rich: 1.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 1.4
date: 1995/03/07 23:52:25; author: geert; state: Exp; lines: +2 -2
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas/baseplate/Attic/padtext.awk,v
working file: atlas/baseplate/padtext.awk
head: 1.9
branch:
locks: strict
access list:
symbolic names:

keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 1.7
date: 1995/03/08 01:42:41; author: geert; state: Exp; lines: +6 -6
more changes. messing around with the pads

Geert

revision 1.6
date: 1995/03/07 23:52:28; author: geert; state: Exp; lines: +2 -2
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v
working file: atlas/baseplate/sharedbaseplate.sgen.m4
head: 1.41
branch:
locks: strict
access list:

cb Mar 7-13 1995.log

symbolic names:

b4_rich: 1.41

keyword substitution: kv

total revisions: 41; selected revisions: 2

description:

revision 1.10

date: 1995/03/08 01:42:42; author: geert; state: Exp; lines: +9 -6
more changes. messing around with the pads

Geert

revision 1.9

date: 1995/03/07 23:52:29; author: geert; state: Exp; lines: +4 -24

Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v

working file: atlas/compass/layouts/atlas.db

head: 1.136

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.136

keyword substitution: kv

total revisions: 136; selected revisions: 9

description:

revision 1.18

date: 1995/03/11 01:39:19; author: chip; state: Exp; lines: +38 -38
periodic checkin of Fri Mar 10 17:39:16 PST 1995

revision 1.17

date: 1995/03/10 21:34:56; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 13:34:52 PST 1995

revision 1.16

date: 1995/03/10 21:33:08; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 13:33:05 PST 1995

revision 1.15

date: 1995/03/10 21:31:22; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 13:31:19 PST 1995

revision 1.14

date: 1995/03/10 21:27:48; author: chip; state: Exp; lines: +8 -23
periodic checkin of Fri Mar 10 13:27:45 PST 1995

revision 1.13

date: 1995/03/09 22:49:23; author: chip; state: Exp; lines: +19 -19
periodic checkin of Thu Mar 9 14:49:21 PST 1995

revision 1.12

date: 1995/03/09 18:11:33; author: chip; state: Exp; lines: +38 -33
periodic checkin of Thu Mar 9 10:11:31 PST 1995

revision 1.11

date: 1995/03/09 01:07:22; author: chip; state: Exp; lines: +47 -46
periodic checkin of wed Mar 8 17:07:19 PST 1995

cb Mar 7-13 1995.log

revision 1.10
date: 1995/03/07 17:24:51; author: chip; state: Exp; lines: +23 -21
periodic checkin of Tue Mar 7 09:24:48 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1bar1.ly,v
working file: atlas/compass/layouts/ccr1bar1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:49; author: chip; state: Exp; lines: +400 -7
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col1.ly,v
working file: atlas/compass/layouts/ccr1col1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:51; author: chip; state: Exp; lines: +22 -16
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr1col1.ly,v
working file: atlas/compass/layouts/ccr1col1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:52; author: chip; state: Exp; lines: +23 -16
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr2col1.ly,v
working file: atlas/compass/layouts/ccr2col1.ly
head: 2.3
branch:
locks: strict
access list:

cb Mar 7-13 1995.log

symbolic names:

b4_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/03/09 01:54:54; author: chip; state: Exp; lines: +13 -11

periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr4col.ly,v

working file: atlas/compass/layouts/ccr4col.ly

head: 2.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.3

date: 1995/03/09 01:54:55; author: chip; state: Exp; lines: +134 -43

periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr4colr.ly,v

working file: atlas/compass/layouts/ccr4colr.ly

head: 4.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 4.1

date: 1995/03/09 01:54:57; author: chip; state: Exp;

periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccr5bar1.ly,v

working file: atlas/compass/layouts/ccr5bar1.ly

head: 4.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.2

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

revision 4.2

date: 1995/03/10 19:30:05; author: chip; state: Exp; lines: +4245 -2179

periodic checkin of Fri Mar 10 11:29:59 PST 1995
=====

revision 4.1

date: 1995/03/09 01:54:59; author: chip; state: Exp;

cb Mar 7-13 1995.log
periodic checkin of Wed Mar 8 17:54:45 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcap.ly,v
working file: atlas/compass/layouts/ccrcap.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:29; author: chip; state: Exp; lines: +18 -18
periodic checkin of Wed Mar 8 17:57:24 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrcmpnff.ly,v
working file: atlas/compass/layouts/ccrcmpnff.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:55:01; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:54:45 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrddrv.ly,v
working file: atlas/compass/layouts/ccrddrv.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:30; author: chip; state: Exp; lines: +32 -43
periodic checkin of Wed Mar 8 17:57:24 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdec.ly,v
working file: atlas/compass/layouts/ccrdec.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv

cb Mar 7-13 1995.log
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:32; author: chip; state: Exp; lines: +1651 -17
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdecint.ly,v
working file: atlas/compass/layouts/ccrdecint.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:59:56; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdecint2.ly,v
working file: atlas/compass/layouts/ccrdecint2.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:59:57; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdecl.ly,v
working file: atlas/compass/layouts/ccrdecl.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:34; author: chip; state: Exp; lines: +100 -136
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrdeclr.ly,v
working file: atlas/compass/layouts/ccrdeclr.ly
head: 4.1
branch:

cb Mar 7-13 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/09 01:59:59; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:59:52 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/ccrdnpff.ly,v
working file: atlas/compass/layouts/ccrdnpff.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/09 01:57:36; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/ccrdnpffb.ly,v
working file: atlas/compass/layouts/ccrdnpffb.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/09 02:00:01; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:59:52 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/ccrm2n1.ly,v
working file: atlas/compass/layouts/ccrm2n1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/09 01:57:38; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====
```

cb Mar 7-13 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/ccrm2n1b.ly,v
working file: atlas/compass/layouts/ccrm2n1b.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:03; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrm5pnff.ly,v
working file: atlas/compass/layouts/ccrm5pnff.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:40; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrnand2c.ly,v
working file: atlas/compass/layouts/ccrnand2c.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:42; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrplat.ly,v
working file: atlas/compass/layouts/ccrplat.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

cb Mar 7-13 1995.log

revision 2.3
date: 1995/03/09 01:57:43; author: chip; state: Exp; lines: +224 -6
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrplatb.ly,v
working file: atlas/compass/layouts/ccrplatb.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:45; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrplatc.ly,v
working file: atlas/compass/layouts/ccrplatc.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:08; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 01:57:48; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrpnff.ly,v
working file: atlas/compass/layouts/ccrpnff.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:50; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrpnff1.ly,v
working file: atlas/compass/layouts/ccrpnff1.ly

cb Mar 7-13 1995.log

head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:53; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsa.ly,v
Working file: atlas/compass/layouts/ccrsa.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:55; author: chip; state: Exp; lines: +55 -59
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrsanlat.ly,v
Working file: atlas/compass/layouts/ccrsanlat.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:56; author: chip; state: Exp; lines: +5 -5
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwed.in.ly,v
Working file: atlas/compass/layouts/ccrwed.in.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:10; author: chip; state: Exp; lines: +23 -23

```

                                cb Mar 7-13 1995.log
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 4.1
date: 1995/03/09 01:57:58; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin0.ly,v
working file: atlas/compass/layouts/ccrwedin0.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/10 19:30:11; author: chip; state: Exp; lines: +7 -13
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 4.1
date: 1995/03/09 02:00:05; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin00.ly,v
working file: atlas/compass/layouts/ccrwedin00.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/10 19:30:13; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 4.1
date: 1995/03/09 02:00:06; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin1.ly,v
working file: atlas/compass/layouts/ccrwedin1.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/10 19:30:15; author: chip; state: Exp; lines: +58 -56

```

cb Mar 7-13 1995.log
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 02:00:08; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin11.ly,v
Working file: atlas/compass/layouts/ccrwedin11.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:10; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin2.ly,v
Working file: atlas/compass/layouts/ccrwedin2.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:17; author: chip; state: Exp; lines: +103 -101
periodic checkin of Fri Mar 10 11:29:59 PST 1995
=====

revision 4.1
date: 1995/03/09 02:00:11; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin22.ly,v
Working file: atlas/compass/layouts/ccrwedin22.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:13; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedin3.ly,v

```

                                cb Mar 7-13 1995.log
working file: atlas/compass/layouts/ccrwedn3.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/10 19:30:19; author: chip; state: Exp; lines: +103 -101
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 4.1
date: 1995/03/09 02:00:15; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedn33.ly,v
working file: atlas/compass/layouts/ccrwedn33.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/09 02:00:16; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedn4.ly,v
working file: atlas/compass/layouts/ccrwedn4.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/10 19:30:21; author: chip; state: Exp; lines: +103 -101
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 4.1
date: 1995/03/09 02:00:18; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwedn44.ly,v
working file: atlas/compass/layouts/ccrwedn44.ly
head: 4.1
branch:
locks: strict

```

cb Mar 7-13 1995.log

access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:19; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/ccrwepl.ly,v
working file: atlas/compass/layouts/ccrwepl.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:21; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cell16t.ly,v
working file: atlas/compass/layouts/cell16t.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/08 00:01:05; author: chip; state: Exp; lines: +2 -2
periodic checkin of Tue Mar 7 16:01:01 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch.ly,v
working file: atlas/compass/layouts/cgtmatch.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 1
description:

revision 4.1
date: 1995/03/10 18:46:31; author: chip; state: Exp;
periodic checkin of Fri Mar 10 10:46:28 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/clkdrv.ly,v

cb Mar 7-13 1995.log
working file: atlas/compass/layouts/clkdirv.ly
head: 4.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 23:35:37; author: chip; state: Exp;
periodic checkin of Thu Mar 9 15:35:34 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardring.ly,v
working file: atlas/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 2.9
date: 1995/03/09 23:18:34; author: chip; state: Exp; lines: +7 -5
periodic checkin of Thu Mar 9 15:18:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/match.ly,v
working file: atlas/compass/layouts/match.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/10 21:27:50; author: chip; state: Exp;
periodic checkin of Fri Mar 10 13:27:45 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v
working file: atlas/compass/layouts/padhib.ly
head: 4.34
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.34
keyword substitution: kv
total revisions: 34; selected revisions: 3
description:

revision 4.3
date: 1995/03/11 01:15:07; author: chip; state: Exp; lines: +15 -12

```

                                cb Mar 7-13 1995.log
periodic checkin of Fri Mar 10 17:15:03 PST 1995
-----
revision 4.2
date: 1995/03/11 00:30:42; author: chip; state: Exp; lines: +9 -17
periodic checkin of Fri Mar 10 16:30:39 PST 1995
-----
revision 4.1
date: 1995/03/10 23:38:10; author: chip; state: Exp;
periodic checkin of Fri Mar 10 15:38:08 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v
working file: atlas/compass/layouts/padintvdd.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 3
description:
-----
revision 4.5
date: 1995/03/09 21:14:41; author: chip; state: Exp; lines: +244 -196
periodic checkin of Thu Mar 9 13:14:37 PST 1995
-----
revision 4.4
date: 1995/03/09 17:55:25; author: chip; state: Exp; lines: +13 -13
periodic checkin of Thu Mar 9 09:55:23 PST 1995
-----
revision 4.3
date: 1995/03/07 23:09:56; author: chip; state: Exp; lines: +212 -7
periodic checkin of Tue Mar 7 15:09:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v
working file: atlas/compass/layouts/padintvss.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 3
description:
-----
revision 4.5
date: 1995/03/09 21:14:42; author: chip; state: Exp; lines: +250 -164
periodic checkin of Thu Mar 9 13:14:37 PST 1995
-----
revision 4.4
date: 1995/03/09 17:55:27; author: chip; state: Exp; lines: +13 -13
periodic checkin of Thu Mar 9 09:55:23 PST 1995
-----
revision 4.3
date: 1995/03/07 23:09:58; author: chip; state: Exp; lines: +180 -7
periodic checkin of Tue Mar 7 15:09:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padio.ly,v
working file: atlas/compass/layouts/padio.ly

```

cb Mar 7-13 1995.log

head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 18:09:49; author: chip; state: Exp;
periodic checkin of Thu Mar 9 10:09:47 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3.ly,v
Working file: atlas/compass/layouts/padm3.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 3
description:

revision 4.4
date: 1995/03/09 18:09:51; author: chip; state: Exp; lines: +2 -14
periodic checkin of Thu Mar 9 10:09:47 PST 1995

revision 4.3
date: 1995/03/09 01:09:43; author: chip; state: Exp; lines: +10 -2
periodic checkin of Wed Mar 8 17:09:40 PST 1995

revision 4.2
date: 1995/03/09 01:03:18; author: chip; state: Exp; lines: +8 -2
periodic checkin of Wed Mar 8 17:03:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3io.ly,v
Working file: atlas/compass/layouts/padm3io.ly
head: 4.20
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.20
keyword substitution: kv
total revisions: 20; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 18:11:35; author: chip; state: Exp;
periodic checkin of Thu Mar 9 10:11:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
Working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:
symbolic names:

cb Mar 7-13 1995.log

b4_rich: 2.38
keyword substitution: kv
total revisions: 38; selected revisions: 5
description:

revision 2.9

date: 1995/03/11 02:09:57; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 18:09:54 PST 1995

revision 2.8

date: 1995/03/11 01:32:20; author: chip; state: Exp; lines: +3 -2
periodic checkin of Fri Mar 10 17:32:18 PST 1995

revision 2.7

date: 1995/03/11 01:30:31; author: chip; state: Exp; lines: +9 -10
periodic checkin of Fri Mar 10 17:30:29 PST 1995

revision 2.6

date: 1995/03/10 23:06:29; author: chip; state: Exp; lines: +109 -9
periodic checkin of Fri Mar 10 15:06:28 PST 1995

revision 2.5

date: 1995/03/08 01:29:44; author: chip; state: Exp; lines: +8 -6
periodic checkin of Tue Mar 7 17:29:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v

working file: atlas/compass/layouts/padvss.ly

head: 4.31

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.31

keyword substitution: kv

total revisions: 31; selected revisions: 2

description:

revision 4.2

date: 1995/03/11 01:25:22; author: chip; state: Exp; lines: +15 -13
periodic checkin of Fri Mar 10 17:25:18 PST 1995

revision 4.1

date: 1995/03/10 23:04:43; author: chip; state: Exp;
periodic checkin of Fri Mar 10 15:04:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v

working file: atlas/compass/layouts/vlsi.log

head: 1.3654

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3654

keyword substitution: kv

total revisions: 3654; selected revisions: 76

description:

revision 1.383

date: 1995/03/11 02:10:00; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 18:09:54 PST 1995

cb Mar 7-13 1995.log

```

revision 1.382
date: 1995/03/11 01:42:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 17:42:44 PST 1995
-----
revision 1.381
date: 1995/03/11 01:39:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:39:16 PST 1995
-----
revision 1.380
date: 1995/03/11 01:32:23; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 17:32:18 PST 1995
-----
revision 1.379
date: 1995/03/11 01:30:34; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:30:29 PST 1995
-----
revision 1.378
date: 1995/03/11 01:25:25; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:25:18 PST 1995
-----
revision 1.377
date: 1995/03/11 01:15:10; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:15:03 PST 1995
-----
revision 1.376
date: 1995/03/11 00:56:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 16:56:42 PST 1995
-----
revision 1.375
date: 1995/03/11 00:30:45; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 16:30:39 PST 1995
-----
revision 1.374
date: 1995/03/10 23:38:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 15:38:08 PST 1995
-----
revision 1.373
date: 1995/03/10 23:04:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 15:04:41 PST 1995
-----
revision 1.372
date: 1995/03/10 21:34:59; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 13:34:52 PST 1995
-----
revision 1.371
date: 1995/03/10 21:33:11; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:33:05 PST 1995
-----
revision 1.370
date: 1995/03/10 21:31:25; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:31:19 PST 1995
-----
revision 1.369
date: 1995/03/10 21:29:40; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 13:29:36 PST 1995
-----
revision 1.368
date: 1995/03/10 21:27:52; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 13:27:45 PST 1995
-----
revision 1.367
date: 1995/03/10 21:26:03; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:25:59 PST 1995

```

cb Mar 7-13 1995.log

```

-----
revision 1.366
date: 1995/03/10 21:24:14; author: chip; state: Exp; lines: +12 -0
periodic checkin of Fri Mar 10 13:24:10 PST 1995
-----
revision 1.365
date: 1995/03/10 21:22:30; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:22:26 PST 1995
-----
revision 1.364
date: 1995/03/10 21:20:46; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:20:42 PST 1995
-----
revision 1.363
date: 1995/03/10 21:19:03; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 10 13:18:59 PST 1995
-----
revision 1.362
date: 1995/03/10 21:17:14; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:17:11 PST 1995
-----
revision 1.361
date: 1995/03/10 21:15:32; author: chip; state: Exp; lines: +9 -0
periodic checkin of Fri Mar 10 13:15:28 PST 1995
-----
revision 1.360
date: 1995/03/10 21:13:50; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:13:46 PST 1995
-----
revision 1.359
date: 1995/03/10 21:12:05; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 10 13:12:01 PST 1995
-----
revision 1.358
date: 1995/03/10 21:10:23; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 10 13:10:19 PST 1995
-----
revision 1.357
date: 1995/03/10 21:08:39; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 10 13:08:36 PST 1995
-----
revision 1.356
date: 1995/03/10 21:06:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 13:06:51 PST 1995
-----
revision 1.355
date: 1995/03/10 21:05:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 13:05:09 PST 1995
-----
revision 1.354
date: 1995/03/10 21:03:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 13:03:24 PST 1995
-----
revision 1.353
date: 1995/03/10 19:54:50; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 10 11:54:47 PST 1995
-----
revision 1.352
date: 1995/03/10 19:53:08; author: chip; state: Exp; lines: +23 -0
periodic checkin of Fri Mar 10 11:53:04 PST 1995
-----
revision 1.351
date: 1995/03/10 19:51:00; author: chip; state: Exp; lines: +34 -0

```

cb Mar 7-13 1995.log

periodic checkin of Fri Mar 10 11:50:56 PST 1995

revision 1.350
date: 1995/03/10 19:48:12; author: chip; state: Exp; lines: +18 -0
periodic checkin of Fri Mar 10 11:48:09 PST 1995

revision 1.349
date: 1995/03/10 19:46:26; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 11:46:23 PST 1995

revision 1.348
date: 1995/03/10 19:30:25; author: chip; state: Exp; lines: +19 -0
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 1.347
date: 1995/03/10 18:46:34; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 10:46:28 PST 1995

revision 1.346
date: 1995/03/09 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 15:44:46 PST 1995

revision 1.345
date: 1995/03/09 23:35:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 9 15:35:34 PST 1995

revision 1.344
date: 1995/03/09 23:18:36; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 9 15:18:31 PST 1995

revision 1.343
date: 1995/03/09 22:49:26; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 14:49:21 PST 1995

revision 1.342
date: 1995/03/09 22:47:39; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 9 14:47:35 PST 1995

revision 1.341
date: 1995/03/09 21:14:45; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 13:14:37 PST 1995

revision 1.340
date: 1995/03/09 18:11:37; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 9 10:11:31 PST 1995

revision 1.339
date: 1995/03/09 18:09:53; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 10:09:47 PST 1995

revision 1.338
date: 1995/03/09 18:06:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 10:06:29 PST 1995

revision 1.337
date: 1995/03/09 18:04:39; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 10:04:33 PST 1995

revision 1.336
date: 1995/03/09 17:57:17; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:57:14 PST 1995

revision 1.335

cb Mar 7-13 1995.log

date: 1995/03/09 17:55:29; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 09:55:23 PST 1995

revision 1.334
date: 1995/03/09 17:30:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:30:40 PST 1995

revision 1.333
date: 1995/03/09 17:25:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:25:45 PST 1995

revision 1.332
date: 1995/03/09 04:36:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:36:38 PST 1995

revision 1.331
date: 1995/03/09 04:18:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:18:28 PST 1995

revision 1.330
date: 1995/03/09 04:11:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:11:54 PST 1995

revision 1.329
date: 1995/03/09 04:05:28; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 20:05:25 PST 1995

revision 1.328
date: 1995/03/09 04:03:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 20:03:37 PST 1995

revision 1.327
date: 1995/03/09 03:51:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 19:51:45 PST 1995

revision 1.326
date: 1995/03/09 02:02:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 18:02:04 PST 1995

revision 1.325
date: 1995/03/09 02:00:24; author: chip; state: Exp; lines: +22 -0
periodic checkin of Wed Mar 8 17:59:52 PST 1995

revision 1.324
date: 1995/03/09 01:58:01; author: chip; state: Exp; lines: +40 -0
periodic checkin of Wed Mar 8 17:57:24 PST 1995

revision 1.323
date: 1995/03/09 01:55:03; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Mar 8 17:54:45 PST 1995

revision 1.322
date: 1995/03/09 01:09:46; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 17:09:40 PST 1995

revision 1.321
date: 1995/03/09 01:07:25; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 8 17:07:19 PST 1995

revision 1.320
date: 1995/03/09 01:03:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 17:03:14 PST 1995

cb Mar 7-13 1995.log

revision 1.319
date: 1995/03/08 19:57:27; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 11:57:22 PST 1995

revision 1.318
date: 1995/03/08 17:19:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 09:19:13 PST 1995

revision 1.317
date: 1995/03/08 17:08:06; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 8 09:08:02 PST 1995

revision 1.316
date: 1995/03/08 16:43:25; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 08:43:22 PST 1995

revision 1.315
date: 1995/03/08 16:41:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 08:41:18 PST 1995

revision 1.314
date: 1995/03/08 01:29:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 17:29:41 PST 1995

revision 1.313
date: 1995/03/08 01:07:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 7 17:07:05 PST 1995

revision 1.312
date: 1995/03/08 00:01:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 16:01:01 PST 1995

revision 1.311
date: 1995/03/07 23:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 7 15:59:15 PST 1995

revision 1.310
date: 1995/03/07 23:10:00; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Mar 7 15:09:54 PST 1995

revision 1.309
date: 1995/03/07 23:06:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 15:06:31 PST 1995

revision 1.308
date: 1995/03/07 17:24:56; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 7 09:24:48 PST 1995

=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldla10s.ly,v
working file: atlas/compass/layouts/xldla10s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/08 16:41:24; author: chip; state: Exp;
periodic checkin of Wed Mar 8 08:41:18 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldla160s.ly,v
working file: atlas/compass/layouts/xldla160s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/08 19:57:30; author: chip; state: Exp;
periodic checkin of wed Mar 8 11:57:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldla20s.ly,v
working file: atlas/compass/layouts/xldla20s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/08 16:43:28; author: chip; state: Exp;
periodic checkin of wed Mar 8 08:43:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldla40s.ly,v
working file: atlas/compass/layouts/xldla40s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/08 17:08:09; author: chip; state: Exp;
periodic checkin of wed Mar 8 09:08:02 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xldla80s.ly,v
working file: atlas/compass/layouts/xldla80s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/08 17:08:11; author: chip; state: Exp;
```

cb Mar 7-13 1995.log
periodic checkin of Wed Mar 8 09:08:02 PST 1995

RCS file: /p/cvsroot/atlas/ged/BOM,v
working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 1
description:

revision 5.2
date: 1995/03/07 21:34:13; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is
expected to change slightly.

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
Working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 2
description:
releasebom adding BOM

revision 11.0
date: 1995/03/07 21:34:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is
expected to change slightly.

revision 10.1
date: 1995/03/07 21:33:57; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xvdla/Attic/BOM,v
Working file: atlas/ged/xv/xvdla/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/07 21:30:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

cb Mar 7-13 1995.log

All xv bodies now have size parameter specifications. xvdla is expected to change slightly.

revision 2.1

date: 1995/03/07 21:30:40; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdla/Attic/body.1.1,v

working file: atlas/ged/xv/xvdla/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.2

date: 1995/03/07 21:27:18; author: ong; state: Exp; lines: +16 -15

Added parameter equation for size. This is not the final version; it needs a "limit" or "max" factor for the input PMOS transistor.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdla/Attic/body.2.1,v

working file: atlas/ged/xv/xvdla/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.2

date: 1995/03/07 21:27:19; author: ong; state: Exp; lines: +2 -1

Added parameter equation for size. This is not the final version; it needs a "limit" or "max" factor for the input PMOS transistor.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvd1b/Attic/BOM,v

working file: atlas/ged/xv/xvd1b/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 2

description:

releasebom adding BOM

revision 4.0

date: 1995/03/07 21:31:11; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is expected to change slightly.

cb Mar 7-13 1995.log

```
-----
revision 3.1
date: 1995/03/07 21:31:04; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdlb/Attic/body.1.1,v
Working file: atlas/ged/xv/xvdlb/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
=====
```

```
revision 1.4
date: 1995/03/07 21:25:48; author: ong; state: Exp; lines: +16 -16
Change formula for using the fanout parameter
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xvdlb/Attic/body.2.1,v
Working file: atlas/ged/xv/xvdlb/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
=====
```

```
revision 1.4
date: 1995/03/07 21:25:50; author: ong; state: Exp; lines: +1 -1
Change formula for using the fanout parameter
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/Makefile,v
Working file: atlas/leafgen/Makefile
head: 1.33
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.33
keyword substitution: kv
total revisions: 33;      selected revisions: 1
description:
=====
```

```
revision 1.10
date: 1995/03/07 21:30:55; author: ong; state: Exp; lines: +5 -1
Added xvdlA for schematic generation
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
Working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
b4_rich: 3.15
```

cb Mar 7-13 1995.log

keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 3.6
date: 1995/03/07 21:30:57; author: ong; state: Exp; lines: +2 -2
Added xvdla for schematic generation
=====

RCS file: /p/cvsroot/atlas/leafgen/parmsche-tech.tcl,v
working file: atlas/leafgen/parmsche-tech.tcl
head: 3.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 3.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 3.5
date: 1995/03/07 21:30:59; author: ong; state: Exp; lines: +4 -1
Added xvdla for schematic generation
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/design_crit.ht,v
working file: atlas/leafgen/doc/design_crit.ht
head: 1.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.7
date: 1995/03/07 21:21:18; author: ong; state: Exp; lines: +25 -1
Added blurbs on xvdla, xvd1b, xvlan, and xv1bn
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/lan.fbthres.127.xgr,v
working file: atlas/leafgen/doc/xgraph/lan.fbthres.127.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/03/07 21:20:24; author: ong; state: Exp;
New graph
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:

cb Mar 7-13 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418;  selected revisions: 1
description:
-----
revision 2.85
date: 1995/03/07 21:34:22;  author: ong;  state: Exp;  lines: +2 -2
Release Target: atlas/ged/xv
```

All xv bodies now have size parameter specifications. xvdla is expected to change slightly.

=====

```
RCS file: /p/cvsroot/atlas2/Makefile.defs,v
working file: atlas2/Makefile.defs
head: 200.39
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.39
keyword substitution: kv
total revisions: 99;  selected revisions: 1
description:
-----
revision 1.10
date: 1995/03/08 19:07:58;  author: brianl;  state: Exp;  lines: +9 -433
Pruned severely.  Fault stuff back in as required.
```

=====

```
RCS file: /p/cvsroot/atlas2/Makefile.rules,v
working file: atlas2/Makefile.rules
head: 200.15
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.15
keyword substitution: kv
total revisions: 32;  selected revisions: 1
description:
-----
revision 2.5
date: 1995/03/08 19:08:00;  author: brianl;  state: Exp;  lines: +90 -1091
Pruned severely.  Fault stuff back in as required.
```

=====

```
RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v
working file: atlas2/baseplate/chipparms.m4
head: 200.13
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.13
keyword substitution: kv
total revisions: 35;  selected revisions: 1
description:
-----
revision 1.10
```

cb Mar 7-13 1995.log
date: 1995/03/07 23:52:23; author: geert; state: Exp; lines: +16 -10
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas2/baseplate/padring.awk,v
working file: atlas2/baseplate/padring.awk
head: 200.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.11
keyword substitution: kv
total revisions: 24; selected revisions: 1
description:

revision 1.4
date: 1995/03/07 23:52:25; author: geert; state: Exp; lines: +2 -2
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/padtext.awk,v
working file: atlas2/baseplate/padtext.awk
head: 1.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 1.7
date: 1995/03/08 01:42:41; author: geert; state: Exp; lines: +6 -6
more changes. messing around with the pads

Geert

revision 1.6
date: 1995/03/07 23:52:28; author: geert; state: Exp; lines: +2 -2
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v
working file: atlas2/baseplate/sharedbaseplate.sgen.m4
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 42; selected revisions: 2
description:

cb Mar 7-13 1995.log

revision 1.10
date: 1995/03/08 01:42:42; author: geert; state: Exp; lines: +9 -6
more changes. messing around with the pads

Geert

revision 1.9
date: 1995/03/07 23:52:29; author: geert; state: Exp; lines: +4 -24
Made a bunch of changes. Added a better model
for the clock-tree. Better pads included.

Geert

=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133; selected revisions: 9
description:

revision 1.18
date: 1995/03/11 01:39:19; author: chip; state: Exp; lines: +38 -38
periodic checkin of Fri Mar 10 17:39:16 PST 1995

revision 1.17
date: 1995/03/10 21:34:56; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 13:34:52 PST 1995

revision 1.16
date: 1995/03/10 21:33:08; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 13:33:05 PST 1995

revision 1.15
date: 1995/03/10 21:31:22; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 13:31:19 PST 1995

revision 1.14
date: 1995/03/10 21:27:48; author: chip; state: Exp; lines: +8 -23
periodic checkin of Fri Mar 10 13:27:45 PST 1995

revision 1.13
date: 1995/03/09 22:49:23; author: chip; state: Exp; lines: +19 -19
periodic checkin of Thu Mar 9 14:49:21 PST 1995

revision 1.12
date: 1995/03/09 18:11:33; author: chip; state: Exp; lines: +38 -33
periodic checkin of Thu Mar 9 10:11:31 PST 1995

revision 1.11
date: 1995/03/09 01:07:22; author: chip; state: Exp; lines: +47 -46
periodic checkin of Wed Mar 8 17:07:19 PST 1995

revision 1.10
date: 1995/03/07 17:24:51; author: chip; state: Exp; lines: +23 -21
periodic checkin of Tue Mar 7 09:24:48 PST 1995

=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1bar1.ly,v

cb Mar 7-13 1995.log
working file: atlas2/compass/layouts/ccr1bar1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:49; author: chip; state: Exp; lines: +400 -7
periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1col1.ly,v
working file: atlas2/compass/layouts/ccr1col1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:51; author: chip; state: Exp; lines: +22 -16
periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr1colr1.ly,v
working file: atlas2/compass/layouts/ccr1colr1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:52; author: chip; state: Exp; lines: +23 -16
periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr2col1.ly,v
working file: atlas2/compass/layouts/ccr2col1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:54; author: chip; state: Exp; lines: +13 -11
periodic checkin of wed Mar 8 17:54:45 PST 1995
=====

cb Mar 7-13 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr4col.ly,v
working file: atlas2/compass/layouts/ccr4col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:54:55; author: chip; state: Exp; lines: +134 -43
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr4colr.ly,v
working file: atlas2/compass/layouts/ccr4colr.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:54:57; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccr5bar1.ly,v
working file: atlas2/compass/layouts/ccr5bar1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:05; author: chip; state: Exp; lines: +4245 -2179
periodic checkin of Fri Mar 10 11:29:59 PST 1995
=====

revision 4.1
date: 1995/03/09 01:54:59; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:54:45 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcap.ly,v
working file: atlas2/compass/layouts/ccrcap.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

cb Mar 7-13 1995.log

revision 2.3
date: 1995/03/09 01:57:29; author: chip; state: Exp; lines: +18 -18
periodic checkin of wed Mar 8 17:57:24 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrcmpnff.ly,v
working file: atlas2/compass/layouts/ccrcmpnff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:55:01; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:54:45 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrddrv.ly,v
working file: atlas2/compass/layouts/ccrddrv.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:30; author: chip; state: Exp; lines: +32 -43
periodic checkin of wed Mar 8 17:57:24 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdec.ly,v
working file: atlas2/compass/layouts/ccrdec.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:32; author: chip; state: Exp; lines: +1651 -17
periodic checkin of wed Mar 8 17:57:24 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdecint.ly,v
working file: atlas2/compass/layouts/ccrdecint.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

cb Mar 7-13 1995.log

revision 4.1
date: 1995/03/09 01:59:56; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdecint2.ly,v
working file: atlas2/compass/layouts/ccrdecint2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:59:57; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdeclr.ly,v
working file: atlas2/compass/layouts/ccrdeclr.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:34; author: chip; state: Exp; lines: +100 -136
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdeclr.ly,v
working file: atlas2/compass/layouts/ccrdeclr.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:59:59; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdnpff.ly,v
working file: atlas2/compass/layouts/ccrdnpff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1

cb Mar 7-13 1995.log

description:

revision 4.1
date: 1995/03/09 01:57:36; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrdnpffb.ly,v
Working file: atlas2/compass/layouts/ccrdnpffb.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:01; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrm2n1.ly,v
Working file: atlas2/compass/layouts/ccrm2n1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:38; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrm2n1b.ly,v
Working file: atlas2/compass/layouts/ccrm2n1b.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:03; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrm5pnff.ly,v
Working file: atlas2/compass/layouts/ccrm5pnff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

```

                                cb Mar 7-13 1995.log
total revisions: 2;    selected revisions: 1
description:
=====
revision 4.1
date: 1995/03/09 01:57:40; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrnand2c.ly,v
working file: atlas2/compass/layouts/ccrnand2c.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
=====
revision 4.1
date: 1995/03/09 01:57:42; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrplat.ly,v
working file: atlas2/compass/layouts/ccrplat.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
=====
revision 2.3
date: 1995/03/09 01:57:43; author: chip; state: Exp; lines: +224 -6
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrplatb.ly,v
working file: atlas2/compass/layouts/ccrplatb.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
=====
revision 4.1
date: 1995/03/09 01:57:45; author: chip; state: Exp;
periodic checkin of wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrplatc.ly,v
working file: atlas2/compass/layouts/ccrplatc.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

```

cb Mar 7-13 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:08; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 01:57:48; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrpnff.ly,v
working file: atlas2/compass/layouts/ccrpnff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:50; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrpnff1.ly,v
working file: atlas2/compass/layouts/ccrpnff1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 01:57:53; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsa.ly,v
working file: atlas2/compass/layouts/ccrsa.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:55; author: chip; state: Exp; lines: +55 -59
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrsanlat.ly,v
Working file: atlas2/compass/layouts/ccrsanlat.ly

cb Mar 7-13 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.3
date: 1995/03/09 01:57:56; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin.ly,v
working file: atlas2/compass/layouts/ccrwedin.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:10; author: chip; state: Exp; lines: +23 -23
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 01:57:58; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:57:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin0.ly,v
working file: atlas2/compass/layouts/ccrwedin0.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:11; author: chip; state: Exp; lines: +7 -13
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 02:00:05; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin00.ly,v
working file: atlas2/compass/layouts/ccrwedin00.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2

cb Mar 7-13 1995.log

description:

revision 4.2
date: 1995/03/10 19:30:13; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 02:00:06; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwdin1.ly,v
working file: atlas2/compass/layouts/ccrwdin1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:15; author: chip; state: Exp; lines: +58 -56
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 02:00:08; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwdin11.ly,v
working file: atlas2/compass/layouts/ccrwdin11.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:10; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwdin2.ly,v
working file: atlas2/compass/layouts/ccrwdin2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:17; author: chip; state: Exp; lines: +103 -101
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1

cb Mar 7-13 1995.log
date: 1995/03/09 02:00:11; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin22.ly,v
working file: atlas2/compass/layouts/ccrwedin22.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:13; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin3.ly,v
working file: atlas2/compass/layouts/ccrwedin3.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/10 19:30:19; author: chip; state: Exp; lines: +103 -101
periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1
date: 1995/03/09 02:00:15; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin33.ly,v
working file: atlas2/compass/layouts/ccrwedin33.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 02:00:16; author: chip; state: Exp;
periodic checkin of Wed Mar 8 17:59:52 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin4.ly,v
working file: atlas2/compass/layouts/ccrwedin4.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cb Mar 7-13 1995.log

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 4.2

date: 1995/03/10 19:30:21; author: chip; state: Exp; lines: +103 -101

periodic checkin of Fri Mar 10 11:29:59 PST 1995

revision 4.1

date: 1995/03/09 02:00:18; author: chip; state: Exp;

periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwedin44.ly,v

working file: atlas2/compass/layouts/ccrwedin44.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 4.1

date: 1995/03/09 02:00:19; author: chip; state: Exp;

periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/ccrwepl.ly,v

working file: atlas2/compass/layouts/ccrwepl.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 4.1

date: 1995/03/09 02:00:21; author: chip; state: Exp;

periodic checkin of Wed Mar 8 17:59:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cell6t.ly,v

working file: atlas2/compass/layouts/cell6t.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 2.3

date: 1995/03/08 00:01:05; author: chip; state: Exp; lines: +2 -2

periodic checkin of Tue Mar 7 16:01:01 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch.ly,v

working file: atlas2/compass/layouts/cgtmatch.ly

cb Mar 7-13 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.1
date: 1995/03/10 18:46:31; author: chip; state: Exp;
periodic checkin of Fri Mar 10 10:46:28 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/clkdirv.ly,v
working file: atlas2/compass/layouts/clkdirv.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 23:35:37; author: chip; state: Exp;
periodic checkin of Thu Mar 9 15:35:34 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardring.ly,v
working file: atlas2/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 2.9
date: 1995/03/09 23:18:34; author: chip; state: Exp; lines: +7 -5
periodic checkin of Thu Mar 9 15:18:31 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/match.ly,v
working file: atlas2/compass/layouts/match.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/10 21:27:50; author: chip; state: Exp;
periodic checkin of Fri Mar 10 13:27:45 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v

cb Mar 7-13 1995.log

working file: atlas2/compass/layouts/padhib.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 35; selected revisions: 3
description:

revision 4.3

date: 1995/03/11 01:15:07; author: chip; state: Exp; lines: +15 -12
periodic checkin of Fri Mar 10 17:15:03 PST 1995

revision 4.2

date: 1995/03/11 00:30:42; author: chip; state: Exp; lines: +9 -17
periodic checkin of Fri Mar 10 16:30:39 PST 1995

revision 4.1

date: 1995/03/10 23:38:10; author: chip; state: Exp;
periodic checkin of Fri Mar 10 15:38:08 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v

working file: atlas2/compass/layouts/padintvdd.ly

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 3
description:

revision 4.5

date: 1995/03/09 21:14:41; author: chip; state: Exp; lines: +244 -196
periodic checkin of Thu Mar 9 13:14:37 PST 1995

revision 4.4

date: 1995/03/09 17:55:25; author: chip; state: Exp; lines: +13 -13
periodic checkin of Thu Mar 9 09:55:23 PST 1995

revision 4.3

date: 1995/03/07 23:09:56; author: chip; state: Exp; lines: +212 -7
periodic checkin of Tue Mar 7 15:09:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v

working file: atlas2/compass/layouts/padintvss.ly

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 3
description:

revision 4.5

date: 1995/03/09 21:14:42; author: chip; state: Exp; lines: +250 -164
periodic checkin of Thu Mar 9 13:14:37 PST 1995

revision 4.4

cb Mar 7-13 1995.log
date: 1995/03/09 17:55:27; author: chip; state: Exp; lines: +13 -13
periodic checkin of Thu Mar 9 09:55:23 PST 1995

revision 4.3
date: 1995/03/07 23:09:58; author: chip; state: Exp; lines: +180 -7
periodic checkin of Tue Mar 7 15:09:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padio.ly,v
working file: atlas2/compass/layouts/padio.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 18:09:49; author: chip; state: Exp;
periodic checkin of Thu Mar 9 10:09:47 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3.ly,v
working file: atlas2/compass/layouts/padm3.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 3
description:

revision 4.4
date: 1995/03/09 18:09:51; author: chip; state: Exp; lines: +2 -14
periodic checkin of Thu Mar 9 10:09:47 PST 1995

revision 4.3
date: 1995/03/09 01:09:43; author: chip; state: Exp; lines: +10 -2
periodic checkin of Wed Mar 8 17:09:40 PST 1995

revision 4.2
date: 1995/03/09 01:03:18; author: chip; state: Exp; lines: +8 -2
periodic checkin of Wed Mar 8 17:03:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3io.ly,v
working file: atlas2/compass/layouts/padm3io.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 4.1
date: 1995/03/09 18:11:35; author: chip; state: Exp;
periodic checkin of Thu Mar 9 10:11:31 PST 1995
=====

cb Mar 7-13 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39; selected revisions: 5
description:

revision 2.9
date: 1995/03/11 02:09:57; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 10 18:09:54 PST 1995

revision 2.8
date: 1995/03/11 01:32:20; author: chip; state: Exp; lines: +3 -2
periodic checkin of Fri Mar 10 17:32:18 PST 1995

revision 2.7
date: 1995/03/11 01:30:31; author: chip; state: Exp; lines: +9 -10
periodic checkin of Fri Mar 10 17:30:29 PST 1995

revision 2.6
date: 1995/03/10 23:06:29; author: chip; state: Exp; lines: +109 -9
periodic checkin of Fri Mar 10 15:06:28 PST 1995

revision 2.5
date: 1995/03/08 01:29:44; author: chip; state: Exp; lines: +8 -6
periodic checkin of Tue Mar 7 17:29:41 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v
working file: atlas2/compass/layouts/padvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32; selected revisions: 2
description:

revision 4.2
date: 1995/03/11 01:25:22; author: chip; state: Exp; lines: +15 -13
periodic checkin of Fri Mar 10 17:25:18 PST 1995

revision 4.1
date: 1995/03/10 23:04:43; author: chip; state: Exp;
periodic checkin of Fri Mar 10 15:04:41 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 76
description:

cb Mar 7-13 1995.log

revision 1.383
date: 1995/03/11 02:10:00; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 18:09:54 PST 1995

revision 1.382
date: 1995/03/11 01:42:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 17:42:44 PST 1995

revision 1.381
date: 1995/03/11 01:39:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:39:16 PST 1995

revision 1.380
date: 1995/03/11 01:32:23; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 17:32:18 PST 1995

revision 1.379
date: 1995/03/11 01:30:34; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:30:29 PST 1995

revision 1.378
date: 1995/03/11 01:25:25; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:25:18 PST 1995

revision 1.377
date: 1995/03/11 01:15:10; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 17:15:03 PST 1995

revision 1.376
date: 1995/03/11 00:56:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 16:56:42 PST 1995

revision 1.375
date: 1995/03/11 00:30:45; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 16:30:39 PST 1995

revision 1.374
date: 1995/03/10 23:38:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 15:38:08 PST 1995

revision 1.373
date: 1995/03/10 23:04:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 15:04:41 PST 1995

revision 1.372
date: 1995/03/10 21:34:59; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 13:34:52 PST 1995

revision 1.371
date: 1995/03/10 21:33:11; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:33:05 PST 1995

revision 1.370
date: 1995/03/10 21:31:25; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:31:19 PST 1995

revision 1.369
date: 1995/03/10 21:29:40; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 13:29:36 PST 1995

revision 1.368
date: 1995/03/10 21:27:52; author: chip; state: Exp; lines: +4 -0

cb Mar 7-13 1995.log

periodic checkin of Fri Mar 10 13:27:45 PST 1995

revision 1.367
date: 1995/03/10 21:26:03; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 13:25:59 PST 1995

revision 1.366
date: 1995/03/10 21:24:14; author: chip; state: Exp; lines: +12 -0
periodic checkin of Fri Mar 10 13:24:10 PST 1995

revision 1.365
date: 1995/03/10 21:22:30; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:22:26 PST 1995

revision 1.364
date: 1995/03/10 21:20:46; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:20:42 PST 1995

revision 1.363
date: 1995/03/10 21:19:03; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 10 13:18:59 PST 1995

revision 1.362
date: 1995/03/10 21:17:14; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:17:11 PST 1995

revision 1.361
date: 1995/03/10 21:15:32; author: chip; state: Exp; lines: +9 -0
periodic checkin of Fri Mar 10 13:15:28 PST 1995

revision 1.360
date: 1995/03/10 21:13:50; author: chip; state: Exp; lines: +10 -0
periodic checkin of Fri Mar 10 13:13:46 PST 1995

revision 1.359
date: 1995/03/10 21:12:05; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 10 13:12:01 PST 1995

revision 1.358
date: 1995/03/10 21:10:23; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 10 13:10:19 PST 1995

revision 1.357
date: 1995/03/10 21:08:39; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 10 13:08:36 PST 1995

revision 1.356
date: 1995/03/10 21:06:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 10 13:06:51 PST 1995

revision 1.355
date: 1995/03/10 21:05:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 10 13:05:09 PST 1995

revision 1.354
date: 1995/03/10 21:03:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 10 13:03:24 PST 1995

revision 1.353
date: 1995/03/10 19:54:50; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 10 11:54:47 PST 1995

revision 1.352

```

                                cb Mar 7-13 1995.log
date: 1995/03/10 19:53:08; author: chip; state: Exp; lines: +23 -0
periodic checkin of Fri Mar 10 11:53:04 PST 1995
-----
revision 1.351
date: 1995/03/10 19:51:00; author: chip; state: Exp; lines: +34 -0
periodic checkin of Fri Mar 10 11:50:56 PST 1995
-----
revision 1.350
date: 1995/03/10 19:48:12; author: chip; state: Exp; lines: +18 -0
periodic checkin of Fri Mar 10 11:48:09 PST 1995
-----
revision 1.349
date: 1995/03/10 19:46:26; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 10 11:46:23 PST 1995
-----
revision 1.348
date: 1995/03/10 19:30:25; author: chip; state: Exp; lines: +19 -0
periodic checkin of Fri Mar 10 11:29:59 PST 1995
-----
revision 1.347
date: 1995/03/10 18:46:34; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 10 10:46:28 PST 1995
-----
revision 1.346
date: 1995/03/09 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 15:44:46 PST 1995
-----
revision 1.345
date: 1995/03/09 23:35:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 9 15:35:34 PST 1995
-----
revision 1.344
date: 1995/03/09 23:18:36; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 9 15:18:31 PST 1995
-----
revision 1.343
date: 1995/03/09 22:49:26; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 14:49:21 PST 1995
-----
revision 1.342
date: 1995/03/09 22:47:39; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 9 14:47:35 PST 1995
-----
revision 1.341
date: 1995/03/09 21:14:45; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 13:14:37 PST 1995
-----
revision 1.340
date: 1995/03/09 18:11:37; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 9 10:11:31 PST 1995
-----
revision 1.339
date: 1995/03/09 18:09:53; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 10:09:47 PST 1995
-----
revision 1.338
date: 1995/03/09 18:06:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 10:06:29 PST 1995
-----
revision 1.337
date: 1995/03/09 18:04:39; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 10:04:33 PST 1995
-----

```

cb Mar 7-13 1995.log

revision 1.336
date: 1995/03/09 17:57:17; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:57:14 PST 1995

revision 1.335
date: 1995/03/09 17:55:29; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 9 09:55:23 PST 1995

revision 1.334
date: 1995/03/09 17:30:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:30:40 PST 1995

revision 1.333
date: 1995/03/09 17:25:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 9 09:25:45 PST 1995

revision 1.332
date: 1995/03/09 04:36:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:36:38 PST 1995

revision 1.331
date: 1995/03/09 04:18:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:18:28 PST 1995

revision 1.330
date: 1995/03/09 04:11:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 20:11:54 PST 1995

revision 1.329
date: 1995/03/09 04:05:28; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 20:05:25 PST 1995

revision 1.328
date: 1995/03/09 04:03:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 20:03:37 PST 1995

revision 1.327
date: 1995/03/09 03:51:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 19:51:45 PST 1995

revision 1.326
date: 1995/03/09 02:02:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 8 18:02:04 PST 1995

revision 1.325
date: 1995/03/09 02:00:24; author: chip; state: Exp; lines: +22 -0
periodic checkin of Wed Mar 8 17:59:52 PST 1995

revision 1.324
date: 1995/03/09 01:58:01; author: chip; state: Exp; lines: +40 -0
periodic checkin of Wed Mar 8 17:57:24 PST 1995

revision 1.323
date: 1995/03/09 01:55:03; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Mar 8 17:54:45 PST 1995

revision 1.322
date: 1995/03/09 01:09:46; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 8 17:09:40 PST 1995

revision 1.321
date: 1995/03/09 01:07:25; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 8 17:07:19 PST 1995

cb Mar 7-13 1995.log

```
-----
revision 1.320
date: 1995/03/09 01:03:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 8 17:03:14 PST 1995
-----
revision 1.319
date: 1995/03/08 19:57:27; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 8 11:57:22 PST 1995
-----
revision 1.318
date: 1995/03/08 17:19:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 8 09:19:13 PST 1995
-----
revision 1.317
date: 1995/03/08 17:08:06; author: chip; state: Exp; lines: +4 -0
periodic checkin of wed Mar 8 09:08:02 PST 1995
-----
revision 1.316
date: 1995/03/08 16:43:25; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 8 08:43:22 PST 1995
-----
revision 1.315
date: 1995/03/08 16:41:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 8 08:41:18 PST 1995
-----
revision 1.314
date: 1995/03/08 01:29:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 17:29:41 PST 1995
-----
revision 1.313
date: 1995/03/08 01:07:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 7 17:07:05 PST 1995
-----
revision 1.312
date: 1995/03/08 00:01:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 16:01:01 PST 1995
-----
revision 1.311
date: 1995/03/07 23:59:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 7 15:59:15 PST 1995
-----
revision 1.310
date: 1995/03/07 23:10:00; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Mar 7 15:09:54 PST 1995
-----
revision 1.309
date: 1995/03/07 23:06:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 7 15:06:31 PST 1995
-----
revision 1.308
date: 1995/03/07 17:24:56; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 7 09:24:48 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldla10s.ly,v
Working file: atlas2/compass/layouts/xldla10s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
```

description:

revision 4.1
date: 1995/03/08 16:41:24; author: chip; state: Exp;
periodic checkin of Wed Mar 8 08:41:18 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldla160s.ly,v
working file: atlas2/compass/layouts/xldla160s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/08 19:57:30; author: chip; state: Exp;
periodic checkin of Wed Mar 8 11:57:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldla20s.ly,v
working file: atlas2/compass/layouts/xldla20s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/08 16:43:28; author: chip; state: Exp;
periodic checkin of Wed Mar 8 08:43:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldla40s.ly,v
working file: atlas2/compass/layouts/xldla40s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/08 17:08:09; author: chip; state: Exp;
periodic checkin of Wed Mar 8 09:08:02 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldla80s.ly,v
working file: atlas2/compass/layouts/xldla80s.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

cb Mar 7-13 1995.log
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/08 17:08:11; author: chip; state: Exp;
periodic checkin of Wed Mar 8 09:08:02 PST 1995
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 207.57
keyword substitution: kv
total revisions: 1847; selected revisions: 1
description:

revision 5.2
date: 1995/03/07 21:34:13; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is
expected to change slightly.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v
working file: atlas2/ged/xv/BOM
head: 212.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 212.0
keyword substitution: kv
total revisions: 348; selected revisions: 2
description:
releasebom adding BOM

revision 11.0
date: 1995/03/07 21:34:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is
expected to change slightly.
=====

revision 10.1
date: 1995/03/07 21:33:57; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdla/Attic/BOM,v
working file: atlas2/ged/xv/xvdla/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

cb Mar 7-13 1995.log

releasebom adding BOM

revision 3.0
date: 1995/03/07 21:30:47; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvd1a is
expected to change slightly.

revision 2.1
date: 1995/03/07 21:30:40; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvd1a/Attic/body.1.1,v
working file: atlas2/ged/xv/xvd1a/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/03/07 21:27:18; author: ong; state: Exp; lines: +16 -15
Added parameter equation for size. This is not the final
version; it needs a "limit" or "max" factor for the input
PMOS transistor.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvd1a/Attic/body.2.1,v
working file: atlas2/ged/xv/xvd1a/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/03/07 21:27:19; author: ong; state: Exp; lines: +2 -1
Added parameter equation for size. This is not the final
version; it needs a "limit" or "max" factor for the input
PMOS transistor.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvd1b/Attic/BOM,v
working file: atlas2/ged/xv/xvd1b/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 4.0

cb Mar 7-13 1995.log
date: 1995/03/07 21:31:11; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

All xv bodies now have size parameter specifications. xvdla is
expected to change slightly.

revision 3.1
date: 1995/03/07 21:31:04; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlb/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdlb/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.4
date: 1995/03/07 21:25:48; author: ong; state: Exp; lines: +16 -16
Change formula for using the fanout parameter
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlb/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdlb/body.2.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.4
date: 1995/03/07 21:25:50; author: ong; state: Exp; lines: +1 -1
Change formula for using the fanout parameter
=====

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v
working file: atlas2/leafgen/Makefile
head: 200.18
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.18
keyword substitution: kv
total revisions: 50; selected revisions: 1
description:

revision 1.10
date: 1995/03/07 21:30:55; author: ong; state: Exp; lines: +5 -1
Added xvdla for schematic generation
=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
working file: atlas2/leafgen/makeDepend
head: 200.0

cb Mar 7-13 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 3.6
date: 1995/03/07 21:30:57; author: ong; state: Exp; lines: +2 -2
Added xvd1a for schematic generation
=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/parmsche-tech.tcl,v
working file: atlas2/leafgen/parmsche-tech.tcl
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 3.5
date: 1995/03/07 21:30:59; author: ong; state: Exp; lines: +4 -1
Added xvd1a for schematic generation
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/design_crit.ht,v
working file: atlas2/leafgen/doc/design_crit.ht
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 1.7
date: 1995/03/07 21:21:18; author: ong; state: Exp; lines: +25 -1
Added blurbs on xvd1a, xvd1b, xv1an, and xv1bn
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/lan.fbthres.127.xgr,v
working file: atlas2/leafgen/doc/xgraph/lan.fbthres.127.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/03/07 21:20:24; author: ong; state: Exp;
New graph
=====

RCS file: /p/cvsroot/c_tests/nullstone/run_nullstone,v

```

                                cb Mar 7-13 1995.log
Working file: c_tests/nullstone/run_nullstone
head: 1.20
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.20
keyword substitution: kv
total revisions: 20;    selected revisions: 2
description:
initial revision
-----
revision 1.4
date: 1995/03/10 23:59:16; author: claseman; state: Exp; lines: +1 -1
make local path
-----
revision 1.3
date: 1995/03/08 17:09:34; author: claseman; state: Exp; lines: +1 -1
correct typo
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/run_nullstone,v
Working file: c_tests/nullstone_3_8_4/run_nullstone
head: 1.19
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 2
description:
initial revision
-----
revision 1.4
date: 1995/03/10 23:59:16; author: claseman; state: Exp; lines: +1 -1
make local path
-----
revision 1.3
date: 1995/03/08 17:09:34; author: claseman; state: Exp; lines: +1 -1
correct typo
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/run_bltns,v
Working file: c_tests/tcc_builtins/run_bltns
head: 1.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
revision 1.3
date: 1995/03/07 21:22:00; author: claseman; state: Exp; lines: +10 -2
catch run time errors
=====

RCS file: /p/cvsroot/c_tests/tcc_builtins/run_opt_bltns,v
Working file: c_tests/tcc_builtins/run_opt_bltns
head: 1.6
branch:
locks: strict

```

cb Mar 7-13 1995.log

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.3

date: 1995/03/07 21:21:59; author: claseman; state: Exp; lines: +12 -4

catch run time errors

=====